WO 2004/001581 PCT/US2003/019489




FIG. 1A




FIG. 1B

2/20




FIG. 1C

3/20

WO 2004/001581 PCT/US2003/019489





FIG. 1D



5/20




FIG. 2B




FIG. 2C





FIG. 2D



9/20




FIG. 4

	Outline View	Library View Folder View Templates	
	☐ PatentExampleDoc		
	⊟்~ சூ Outline		
		Notice of Annual Meeting	
	₽-C	Voting and Governance	
		General Information	
) <u>;</u>	- 🗀 Voting Information	
		Information :	
		Board and Committe Governance	
!		🕙 Audit Committee Report	
	,	■ Director Compensation	
	∳ ·C] Share Ownerships	
	₽-C] Items to be Voted Upon	
٠	Executive Compensation		
	ı±ı.€	Other Information	
	PatentEx	ampleDoc	
•	File Edit Vi	ew Project Window Help	

FIG. 5A




FIG. 5B




FIG. 5C




FIG. 6A

Single Substitutions			
{doclogo}	When found, replace with the template element DocLogo-		
	after processing DocLogo for any substitution codes.		
{doctitle}	Replace with a processed DocTitle		
{content}	Replace with the source HTML content for the page being enhanced.		
{btncustom1},	Replace with a processed template element (BtnCustoml,		
{btncustom2}	BtnCustom2)		
Linear Navigation Substitutions			
{btnprevious},	Replace with appropriate processed template element. When		
{btnhome}, {btnnext}	processing the template element, replace {url} with the		
	proper link code and {text} with the proper descriptive text,		
	based upon outliner information.		
{urlprevious},	Replace with appropriate links or descriptive text.		
{textprevious},	•		
$\{urlhome\}\dots$			
{color1}, {color2}	Replace with the appropriate template element. Color		
	template elements allow for heavy customization of existing		
	templates.		
	ierarchical Navigation Substitutions		
{level1}	Replace with a string that consists of a processed Level_1		
	template element for each level 1 page node in the		
	document. Also, use Level_1_Active for the level 1 node		
	which is an ancestor of the page being created.		
{level2}, {level3},	Similar to {level1}, but for the defined level. Note: it is		
	common to have a {level3} code in the Level_2 template		
	element – allowing for recursive navigational control.		
{level1_text},	Replace with the appropriate descriptive text for the active		
{level2_text},	page node at the specified level in the outliner.		
{depth}	Replace with a number indicating the hierarchical depth of		
	the target page's level.		
{counter}	Replace with a sequential number for each instance of a level		
	1 element.		
Dropdown Navigation Substitutions			
{menu_quickmenupro},	Replace with javascript dropdown menu definitions for a		
{menu_smartwebmenu1},	specific dropdown menu product. For example,		
•••	QuickMenuPro can be chosen and the proper javascript		
	menu definitions for QuickMenuPro will be inserted.		

FIG. 6B




FIG. 7A

:




FIG. 7B




FIG. 7C




FIG. 8




FIG. 9